



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM



Cofe

PATENT
Docket No. 13914.911

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Watterson et al.

Serial No.: 10/754,166

Filed: Jan. 9, 2004

Confirmation No.: 7519

For: *TREADMILL WITH MOVEABLE CONSOLE*

Examiner: LoAn H. Thanh

Patent No.: 7,344,481 B2

Issue Date: Mar. 18, 2008

Art Unit
3764

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
APR 14 2010
of Correction

Dear Commissioner:


In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100.00, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested,

please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 5 day of April.

Respectfully submitted,



David B. Dellenbach
Attorney for Applicant
Registration No.: 39,166


WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

DBD:ftm
Enclosures

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 9 day of April, 2010.

Respectfully submitted,



Transmitted:

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check no. 162896 in the amount of \$100.00.



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM



PATENT
Socket No. 13914.911

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Watterson et al.

Serial No.: 10/754,166

Filed: Jan. 9, 2004

Confirmation No.: 7519

For: *TREADMILL WITH MOVEABLE CONSOLE*

Examiner: LoAn H. Thanh

Patent No.: 7,344,481 B2

Issue Date: Mar. 18, 2008

Art Unit
3764

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Commissioner:


In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100.00, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested,

please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 5 day of April.

Respectfully submitted,



David B. Dellenbach
Attorney for Applicant
Registration No.: 39,166


WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

DBD:ftm
Enclosures

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 9 day of April, 2006.

Respectfully submitted,



Transmitted:

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check no. 164896 in the amount of \$100.00.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 6

PATENT NO. : 7,344,481 B2
APPLICATION NO.: 10/754,166
ISSUE DATE : Mar. 18, 2008
INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 32, change "user.3" to --user.--

Column 6

Line 15, change "excising" to --exercising--

Line 25, change "cross-sectional" to --perspective--

Line 27, change "motor 31" to --motor 282--

Line 67, change "appreciated as" to --appreciated by--

Column 7

Line 25 change "motor 382" to --motor 282--

Line 28 change "motor 382" to --motor 282--

Line 37, change "setting" to --settings--

Line 38 change "motor 382" to --motor 282--

Line 41 change "motor 382" to --motor 282--

Column 8

Line 66, change "motor 382" to --motor 282--

Column 9

Line 1, change "motor 382" to --motor 282--

Line 2, change "console 380" to --console 30--

Line 23, change "It is than" to --It is then--

Line 42, change "ended in step 116" to --ended.--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111**

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 6

PATENT NO. : 7,344,481 B2

APPLICATION NO.: 10/754,166

ISSUE DATE : Mar. 18, 2008

INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 11

Line 44, change "on tread" to --on the tread--

Column 13

Line 9, change "potentiometer, or" to --potentiometer,--

Line 10, change "sensor, a contact" to --sensor, or a contact--

Line 14, change "mechanisms" to --mechanism--

Line 47, change "members 76a, b" to --members 72a, b--

Column 14

Line 21, change "controller 101" to --controller 104--

Line 21, change "Controller 101" to --Controller 104--

Line 26, change "pad 100" to --pad 102--

Line 28, change "pad 100" to --pad 102--

Line 32, change "pad 100" to --pad 102--

Line 32, change "controller 101" to --controller 104--

Line 56, change "controller 101" to --controller 104--

Line 64, change "controller 101" to --controller 104--

Claim 6

Column 15, line 53, change "when user" to --when the user--

Column 15, line 54, change "on treadbase" to --on the treadbase--

Claim 19

Column 16, line 28, change "of console" to --of the console--

Claim 23

Column 16, line 49, change "detect height" to --detect the height--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111**


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 3 of 6

PATENT NO. : 7,344,481 B2
APPLICATION NO.: 10/754,166
ISSUE DATE : Mar. 18, 2008
INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace Figure 2A with the figure depicted herein below, wherein "50" has been changed to --20--, "20" has been changed to --30--, "30" has been changed to --50--, and "36" has been added.



MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111**


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 4 of 6

PATENT NO. : 7,344,481 B2
APPLICATION NO.: 10/754,166
ISSUE DATE : Mar. 18, 2008
INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace Figure 2B with the figure depicted herein below, wherein "50" has been changed to --20--, "20" has been changed to --30--, "30" has been changed to --50--, and "36" has been added.



MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111**


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 5 of 6

PATENT NO. : 7,344,481 B2
APPLICATION NO.: 10/754,166
ISSUE DATE : Mar. 18, 2008
INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace Figure 4 with the figure depicted herein below, wherein "28" has been changed to --32--.



MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111**


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 6 of 6

PATENT NO. : 7,344,481 B2
APPLICATION NO.: 10/754,166
ISSUE DATE : Mar. 18, 2008
INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace Figure 7 with the figure depicted herein below, wherein the first instance of "50" from the left has been changed to --20--.



MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111**

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 6

PATENT NO. : 7,344,481 B2
APPLICATION NO.: 10/754,166
ISSUE DATE : Mar. 18, 2008
INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 32, change "user.3" to --user.--

Column 6

Line 15, change "excising" to --exercising--

Line 25, change "cross-sectional" to --perspective--

Line 27, change "motor 31" to --motor 282--

Line 67, change "appreciated as" to --appreciated by--

Column 7

Line 25 change "motor 382" to --motor 282--

Line 28 change "motor 382" to --motor 282--

Line 37, change "setting" to --settings--

Line 38 change "motor 382" to --motor 282--

Line 41 change "motor 382" to --motor 282--

Column 8

Line 66, change "motor 382" to --motor 282--

Column 9

Line 1, change "motor 382" to --motor 282--

Line 2, change "console 380" to --console 30--

Line 23, change "It is than" to --It is then--

Line 42, change "ended in step 116" to --ended.--

MAILING ADDRESS OF SENDER (Please do not use customer number)

David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 2 of 6

PATENT NO. : 7,344,481 B2

APPLICATION NO.: 10/754,166

ISSUE DATE : Mar. 18, 2008

INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 11

Line 44, change "on tread" to --on the tread--

Column 13

Line 9, change "potentiometer, or" to --potentiometer,--

Line 10, change "sensor, a contact" to --sensor, or a contact--

Line 14, change "mechanisms" to --mechanism--

Line 47, change "members 76a, b" to --members 72a, b--

Column 14

Line 21, change "controller 101" to --controller 104--

Line 21, change "Controller 101" to --Controller 104--

Line 26, change "pad 100" to --pad 102--

Line 28, change "pad 100" to --pad 102--

Line 32, change "pad 100" to --pad 102--

Line 32, change "controller 101" to --controller 104--

Line 56, change "controller 101" to --controller 104--

Line 64, change "controller 101" to --controller 104--

Claim 6

Column 15, line 53, change "when user" to --when the user--

Column 15, line 54, change "on treadbase" to --on the treadbase--

Claim 19

Column 16, line 28, change "of console" to --of the console--

Claim 23

Column 16, line 49, change "detect height" to --detect the height--

MAILING ADDRESS OF SENDER (Please do not use customer number)

David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 3 of 6

PATENT NO. : 7,344,481 B2
APPLICATION NO.: 10/754,166
ISSUE DATE : Mar. 18, 2008
INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace Figure 2A with the figure depicted herein below, wherein "50" has been changed to --20--, "20" has been changed to --30--, "30" has been changed to --50--, and "36" has been added.



MAILING ADDRESS OF SENDER (Please do not use customer number)

David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 C.F.T. 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 4 of 6

PATENT NO. : 7,344,481 B2


APPLICATION NO.: 10/754,166

ISSUE DATE : Mar. 18, 2008

INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace Figure 2B with the figure depicted herein below, wherein "50" has been changed to --20--, "20" has been changed to --30--, "30" has been changed to --50--, and "36" has been added.



MAILING ADDRESS OF SENDER (Please do not use customer number)

David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 C.F.T. 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 C.F.R. 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 5 of 6

PATENT NO. : 7,344,481 B2
APPLICATION NO.: 10/754,166
ISSUE DATE : Mar. 18, 2008
INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace Figure 4 with the figure depicted herein below, wherein "28" has been changed to --32--.



MAILING ADDRESS OF SENDER (Please do not use customer number)

David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 6 of 6

PATENT NO. : 7,344,481 B2
APPLICATION NO.: 10/754,166
ISSUE DATE : Mar. 18, 2008
INVENTOR(S) : Watterson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace Figure 7 with the figure depicted herein below, wherein the first instance of "50" from the left has been changed to --20--.



MAILING ADDRESS OF SENDER (Please do not use customer number)

David B. Dellenbach
WORKMAN NYDEGGER
100 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111